



SAFETY DATA SHEET

MF SealFlow Komp A

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

MF SealFlow Komp A

▼ Unique formula identifier (UFI)

UU99-T0R1-A00S-23X3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

filler

Uses advised against

No special

1.3. Details of the supplier of the safety data sheet

Company and address

MURFACE GmbH

Birkenweg 8

D-33129 Delbrück

Germany

Tel. +49 52 50 - 4 19 93 00

E-mail

mail@murface.de

Revision

21-02-2022

SDS Version

2.0

Date of previous version

2022-02-21 (1.0)

1.4. Emergency telephone number

Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Skin Irrit. 2; H315, Causes skin irritation.

Skin Sens. 1; H317, May cause an allergic skin reaction.

Eye Irrit. 2; H319, Causes serious eye irritation.

Aquatic Chronic 3; H412, Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram(s)



Signal word

Warning

Hazard statement(s)



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Causes skin irritation. (H315)
 May cause an allergic skin reaction. (H317)
 Causes serious eye irritation. (H319)
 Harmful to aquatic life with long lasting effects. (H412)

Safety statement(s)

General

-

Prevention

Wear eye protection/protective gloves/protective clothing. (P280)
 Avoid breathing mist/vapour. (P261)
 Contaminated work clothing should not be allowed out of the workplace. (P272)

Response

If skin irritation or rash occurs: Get medical advice/attention. (P333+P313)
 Take off contaminated clothing and wash it before reuse. (P362+P364)

Storage

-

Disposal

Dispose of contents/container to an approved waste disposal plant. (P501)

Hazardous substances

bis-[4-(2,3-epoxipropoxy)phenyl]propane
 Poly[oxy(methyl-1,2-ethanediyl)],a-(2-oxiranylmethyl)-w-(2-oxiranylmethoxy)-
 Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol
 oxirane, mono[(C12-14-alkyloxy)methyl] derivs.
 Phenol, styrenated
 Cashew, nutshell liq.

2.3. Other hazards

Additional labelling

Not applicable

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
bis-[4-(2,3-epoxipropoxy)phenyl]propane	CAS No.: 1675-54-3 EC No.: 216-823-5 REACH: 01-2119456619-26 Index No.: 603-073-00-2	≥10 - <15%	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Chronic 2, H411	
Poly[oxy(methyl-1,2-ethanediyl)],a-(2-oxiranylmethyl)-w-(2-oxiranylmethoxy)-	CAS No.: 26142-30-3 EC No.: 607-873-2 REACH: Index No.:	≥1 - <5%	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319	
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and	CAS No.: 9003-36-5	≥1 - <5%	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411	



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

phenol	EC No.: 500-006-8		
	REACH:		
	Index No.:		
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	CAS No.: 68609-97-2	≥1 - <5%	Skin Irrit. 2, H315 Skin Sens. 1, H317
	EC No.: 271-846-8		
	REACH: 01-2119485289-22		
	Index No.: 603-103-00-4		
Cashew, nutshell liq.	CAS No.: 8007-24-7	<1%	Acute Tox. 4, H312 Skin Irrit. 2, H315 Skin Sens. 1A, H317 Eye Dam. 1, H318 Aquatic Chronic 3, H412
	EC No.: 232-355-4		
	REACH:		
	Index No.:		

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

No special

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes immediately with plenty of water or isotonic water (20-30°C) for at least 5 minutes and continue until irritation stops. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact.

Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO₂).

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 on "Disposal considerations" in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Keep only in original packaging.

Storage temperature

Room temperature 18 to 23°C



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

Product/substance	bis-[4-(2,3-epoxipropoxi)phenyl]propane
DNEL	3,6 mg/kg
Route of exposure	Dermal
Duration	Short term – Systemic effects - General population

Product/substance	bis-[4-(2,3-epoxipropoxi)phenyl]propane
DNEL	3,6 mg/kg
Route of exposure	Dermal
Duration	Long term – Systemic effects - General population

Product/substance	bis-[4-(2,3-epoxipropoxi)phenyl]propane
DNEL	0,75 mg/m ³
Route of exposure	Inhalation
Duration	Short term – Systemic effects - General population

Product/substance	bis-[4-(2,3-epoxipropoxi)phenyl]propane
DNEL	0,75 mg/m ³
Route of exposure	Inhalation
Duration	Long term – Systemic effects - General population

Product/substance	bis-[4-(2,3-epoxipropoxi)phenyl]propane
DNEL	8,3 mg/kg
Route of exposure	Dermal
Duration	Short term – Systemic effects - Workers

Product/substance	bis-[4-(2,3-epoxipropoxi)phenyl]propane
DNEL	8,3 mg/kg
Route of exposure	Dermal
Duration	Long term – Systemic effects - Workers

Product/substance	bis-[4-(2,3-epoxipropoxi)phenyl]propane
DNEL	12,3 mg/m ³
Route of exposure	Inhalation
Duration	Short term – Systemic effects - Workers

Product/substance	bis-[4-(2,3-epoxipropoxi)phenyl]propane
DNEL	12,3 mg/m ³
Route of exposure	Inhalation
Duration	Long term – Systemic effects - Workers



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Product/substance	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.
DNEL	3,9 mg/kg
Route of exposure	Dermal
Duration	Long term – Systemic effects - Workers

Product/substance	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.
DNEL	13,8 mg/m ³
Route of exposure	Inhalation
Duration	Long term – Systemic effects - Workers

PNEC

Product/substance	bis-[4-(2,3-epoxipropoxi)phenyl]propane
PNEC	0,006 mg/L
Route of exposure	Freshwater
Duration of Exposure	

Product/substance	bis-[4-(2,3-epoxipropoxi)phenyl]propane
PNEC	0,018 mg/L
Route of exposure	Intermittent release
Duration of Exposure	

Product/substance	bis-[4-(2,3-epoxipropoxi)phenyl]propane
PNEC	0,0006 mg/L
Route of exposure	Marine water
Duration of Exposure	

Product/substance	bis-[4-(2,3-epoxipropoxi)phenyl]propane
PNEC	0,996 mg/L
Route of exposure	Freshwater sediment
Duration of Exposure	

Product/substance	bis-[4-(2,3-epoxipropoxi)phenyl]propane
PNEC	0,0996 mg/L
Route of exposure	Marine water sediment
Duration of Exposure	

Product/substance	bis-[4-(2,3-epoxipropoxi)phenyl]propane
PNEC	0,196 mg/L
Route of exposure	Soil
Duration of Exposure	

Product/substance	bis-[4-(2,3-epoxipropoxi)phenyl]propane
PNEC	10 mg/L
Route of exposure	Activated Sludge Plant
Duration of Exposure	

Product/substance	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.
PNEC	0,0072 mg/L
Route of exposure	Freshwater

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Duration of Exposure

Product/substance	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.
PNEC	0,00072 mg/L
Route of exposure	Marine water
Duration of Exposure	

Product/substance	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.
PNEC	66,77 mg/kg
Route of exposure	Freshwater sediment
Duration of Exposure	

Product/substance	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.
PNEC	6,677 mg/kg
Route of exposure	Marine water sediment
Duration of Exposure	

Product/substance	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.
PNEC	80,12 mg/kg
Route of exposure	Soil
Duration of Exposure	

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

Take off contaminated clothing and wash it before reuse.

Measures to avoid environmental exposure

No specific requirements

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.

Respiratory Equipment

Type	Class	Colour	Standards
Respiratory protection is not needed in the event of adequate ventilation			

Skin protection


Recommended	Type/Category	Standards
Dedicated work clothing should be worn.	-	-






According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0.4	> 240	EN374-2, EN374-3, EN388	

Eye protection

Type	Standards	
Safety glasses with side shields.	EN166	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Beige, sand

Odour / Odour threshold

Faint

pH

Testing not relevant or not possible due to nature of the product.

Density (g/cm³)

1.7 (23 °C)

Kinematic viscosity

9000 mPa.s (23 °C)

Particle characteristics

Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C)

Testing not relevant or not possible due to nature of the product.

Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

Boiling point (°C)

Testing not relevant or not possible due to nature of the product.

Vapour pressure

Testing not relevant or not possible due to nature of the product.

Relative vapour density

Testing not relevant or not possible due to nature of the product.

Decomposition temperature (°C)

Testing not relevant or not possible due to nature of the product.

Data on fire and explosion hazards

Flash point (°C)

93

Ignition (°C)

Testing not relevant or not possible due to nature of the product.

Auto flammability (°C)

Testing not relevant or not possible due to nature of the product.

Lower and upper explosion limit (% v/v)



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Testing not relevant or not possible due to nature of the product.

Solubility

Solubility in water

Testing not relevant or not possible due to nature of the product.

n-octanol/water coefficient

Testing not relevant or not possible due to nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to nature of the product.

9.2. Other information

VOC (g/L)

500

Other physical and chemical parameters

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

No special

10.4. Conditions to avoid

No special

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/substance	bis-[4-(2,3-epoxipropoxy)phenyl]propane
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	15000 mg/kg
Other information	

Product/substance	bis-[4-(2,3-epoxipropoxy)phenyl]propane
Test method	
Species	Rabbit
Route of exposure	Dermal
Test	LD50
Result	23000 mg/kg
Other information	

Product/substance	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.
Test method	
Species	Rat



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Route of exposure	Dermal
Test	LD50
Result	> 10000 mg/kg
Other information	

Product/substance	Phenol, styrenated
Test method	OECD 423
Species	Rat
Route of exposure	Oral
Test	LD50
Result	> 2000 mg/kg
Other information	

Product/substance	Phenol, styrenated
Test method	OECD 402
Species	Rat
Route of exposure	Dermal
Test	LD50
Result	> 2000 mg/kg
Other information	

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Endocrine disrupting properties

No special

Other information

bis-[4-(2,3-epoxypropoxy)phenyl]propane has been classified by IARC as a group 3 carcinogen.



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Product/substance	bis-[4-(2,3-epoxipropoxi)phenyl]propane
Test method	
Species	Fish, <i>Oncorhynchus mykiss</i>
Compartment	
Duration	96 hours
Test	LC50
Result	2 mg/L
Other information	

Product/substance	bis-[4-(2,3-epoxipropoxi)phenyl]propane
Test method	
Species	Algae
Compartment	
Duration	72 hours
Test	ErC50
Result	11 mg/L
Other information	

Product/substance	bis-[4-(2,3-epoxipropoxi)phenyl]propane
Test method	
Species	Daphnia, <i>Daphnia magna</i>
Compartment	
Duration	48 hours
Test	EC50
Result	1,8 mg/L
Other information	

Product/substance	bis-[4-(2,3-epoxipropoxi)phenyl]propane
Test method	
Species	Daphnia, <i>Daphnia magna</i>
Compartment	
Duration	21 days
Test	NOEC
Result	0,55 mg/L
Other information	

Product/substance	bis-[4-(2,3-epoxipropoxi)phenyl]propane
Test method	
Species	
Compartment	
Duration	8 hours
Test	EC50
Result	>42,6 mg/L
Other information	

Product/substance	Phenol, styrenated
Test method	OECD 203



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	14,8 mg/L
Other information	

Product/substance	Phenol, styrenated
Test method	OECD 201
Species	Algae
Compartment	
Duration	72 hours
Test	ErC50
Result	3,14 mg/L
Other information	

Product/substance	Phenol, styrenated
Test method	OECD 211
Species	Crustacean, Daphnia magna
Compartment	
Duration	21 days
Test	EC50
Result	0,115 mg/L
Other information	

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

Product/substance	bis-[4-(2,3-epoxipropoxy)phenyl]propane
Test method	
Potential bioaccumulation	No data available
LogPow	3,242
BCF	100-3000
Other information	

Product/substance	Phenol, styrenated
Test method	
Potential bioaccumulation	No data available
LogPow	No data available
BCF	69-190
Other information	

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

No special

12.7. Other adverse effects



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 4 - Irritant (skin irritation and eye damage)

HP 13 - Sensitising

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

08 01 11* Waste paint and varnish containing organic solvents or other dangerous substances

15 01 10* Packaging containing residues of or contaminated by dangerous substances

Specific labelling

Not applicable

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

14.1. - 14.4.

Not dangerous goods according to ADR, IATA and IMDG.

ADR/RID

UN- or ID number	UN proper shipping name	Labels	Packing group	Tunnel restriction code
3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXISHARZ, EPOXID DERIVAT)	9	III	3 (-)

IMDG

UN- or ID number	UN proper shipping name	Labels	Packing group	EmS
3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXISHARZ, EPOXID DERIVAT)	9	III	F-A, S-F

MARINE POLLUTANT

No

IATA

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Restrictions for application

Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

Demands for specific education

No specific requirements

SEVESO - Categories / dangerous substances

Not applicable

Additional information

Not applicable

Sources

The Management of Health and Safety at Work Regulations 1999

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

CLP Regulation (EC) No 1272/2008, as retained and amended in UK law.

EC-Regulation 1907/2006 (REACH), as amended by UK REACH Regulations SI 2019/758

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H312, Harmful in contact with skin.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

H412, Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit.

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVCB = Complex hydrocarbon substance

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)

▼ The safety data sheet is validated by

Murface

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en